




F I G. 1



F I G. 2



F I G . 3



F I G. 4







FIG. 5




F I G. 6




F I G . 7



F I G. 8



F I G. 9



F I G. 1 0







FIG. 11




F I G. 1 2 A




F I G. 1 2 B




F I G. 1 3 A




F I G. 1 3 B




F I G. 1 4 A




F I G. 1 4 B



F I G. 1 5 A



F I G. 1 5 B



F I G. 1 6







FIG. 17




F I G. 1 8




F I G. 1 9



F I G . 2 0



F I G . 2 1



F I G. 2 2





FIG. 23



F I G. 2 4

$$G_{cyl}(n) = G_{th}(n) - \frac{VB \cdot [PBA(n) - PBA(n-1)]}{R \cdot TB} \quad \dots\dots (1)$$

$$G_{cyl}(n) = a1 \cdot G_{cyl}(n-1) + a2 \cdot G_{cyl}(n-2) + b1 \cdot \theta_{msi}(n-d) \quad \dots\dots (2)$$

$$G_{cyl}(n+d-1) = a1 \cdot G_{cyl}(n+d-2) + a2 \cdot G_{cyl}(n+d-3) + b1 \cdot \theta_{msi}(n-1) \quad \dots\dots (3)$$

$$A = \begin{bmatrix} a1 & a2 \\ 1 & 0 \end{bmatrix} \quad \dots\dots (4)$$

$$B = \begin{bmatrix} b1 \\ 0 \end{bmatrix} \quad \dots\dots (5)$$

$$\begin{aligned} G_{cyl}(n+d-1) = & \alpha1 \cdot G_{cyl}(n) + \alpha2 \cdot G_{cyl}(n-1) \\ & + \beta1 \cdot \theta_{msi}(n-1) + \beta2 \cdot \theta_{msi}(n-2) \\ & + \dots + \beta_{d-1} \cdot \theta_{msi}(n-d+1) \end{aligned} \quad \dots\dots (6)$$

$\alpha1$: FIRST-ROW FIRST-COLUMN ELEMENT OF A^{d-1}
 $\alpha2$: FIRST-ROW SECOND-COLUMN ELEMENT OF A^{d-1}
 β_j : FIRST-ROW ELEMENT OF $A^{j-1} B$ ($j=0 \sim d-1$)

$$\begin{aligned} Pre_G_{cyl}(n) = & \alpha1 \cdot G_{cyl}(n) + \alpha2 \cdot G_{cyl}(n-1) \\ & + \beta1 \cdot \theta_{msi}(n-1) + \beta2 \cdot \theta_{msi}(n-2) \\ & + \dots + \beta_{d-1} \cdot \theta_{msi}(n-d+1) + \gamma1 \\ \doteq & G_{cyl}(n+d-1) \end{aligned} \quad \dots\dots (7)$$

F I G. 2 5

$$\theta_s(n) = \theta_s(n-1) + KPs(n) \cdot ide(n) \quad \dots\dots (8)$$

$$KPs(n) = \frac{Ps(n) \cdot \zeta_s(n)}{1 + \zeta_s(n)^T \cdot Ps(n) \cdot \zeta_s(n)} \quad \dots\dots (9)$$

$$Ps(n+1) = \frac{1}{\lambda_1} \left[I - \frac{\lambda_2 \cdot Ps(n) \cdot \zeta_s(n) \cdot \zeta_s(n)^T}{\lambda_1 + \lambda_2 \cdot \zeta_s(n)^T \cdot Ps(n) \cdot \zeta_s(n)} \right] Ps(n) \quad \dots\dots (10)$$

I : UNIT MATRIX OF ORDER $d+2$
 λ_1, λ_2 : WEIGHTING PARAMETER

$$\begin{aligned} ide(n) &= Pre_Gcyl(n-d+1) - Gcyl(n) \\ &= \theta_s(n-1)^T \cdot \zeta_s(n) - Gcyl(n) \end{aligned} \quad \dots\dots (11)$$

$$\theta_s(n)^T = [\alpha_1, \alpha_2, \beta_1, \beta_2, \dots, \beta_{d-1}, \gamma_1] \quad \dots\dots (12)$$

$$\begin{aligned} \zeta_s(n)^T &= [Gcyl(n-d), Gcyl(n-d-1), \\ &\quad \theta_{msi}(n-d), \theta_{msi}(n-d-1), \dots, \theta_{msi}(n-2d+2), 1] \end{aligned} \quad \dots\dots (13)$$

F I G. 2 6

$$\begin{aligned} Gcyl(n+d) = & \alpha 1 \cdot Gcyl(n+1) + \alpha 2 \cdot Gcyl(n) \\ & + \beta 1 \cdot \theta msi(n) + \beta 2 \cdot \theta msi(n-1) \\ & + \cdots + \beta d-1 \cdot \theta msi(n-d+2) + \gamma 1 \end{aligned} \quad \cdots \cdots (14)$$

$$Es(n) = Gcyl(n) - Gcyl_cmd(n) \quad \cdots \cdots (15)$$

$$\sigma s(n) = Es(n) + Ss \cdot Es(n-1) \quad \cdots \cdots (16)$$

$$-1 < Ss < 0 \quad \cdots \cdots (17)$$

$$\begin{aligned} \theta msi_cmd(n) &= Uspas(n) \\ &= Ueq(n) + Urch(n) + Uvt(n) \end{aligned} \quad \cdots \cdots (18)$$

$$\begin{aligned} Ueq(n) = & \frac{1}{\beta 1} \{ Pre_Gcyl(n) + Ss \cdot Pre_Gcyl(n-1) \\ & - \alpha 1 \cdot Pre_Gcyl(n-d+1) - \alpha 2 \cdot Gcyl(n) \\ & - \beta 2 \cdot \theta msi(n-1) - \cdots - \beta d-1 \cdot \theta msi(n-d+2) - \gamma 1 \\ & + Gcyl_cmd(n+d) + (Ss-1) \cdot Gcyl_cmd(n+d-1) \\ & - Ss \cdot Gcyl_cmd(n+d-2) \} \end{aligned} \quad \cdots \cdots (19)$$

$$Urch(n) = \frac{-F}{\beta 1} \cdot \sigma s(n+d-1) \quad \cdots \cdots (20)$$

F : REACHING LAW GAIN (0 < F < 2)

$$Uvt(n) = \theta msi_base(n) \quad \cdots \cdots (21)$$

F I G. 2 7


$$\sigma s(n+d) = \sigma s(n+d-1) \quad \dots\dots (22)$$

$$Es(n+d) + Ss \cdot Es(n+d-1) = Es(n+d-1) + Ss \cdot Es(n+d-2) \quad \dots\dots (23)$$


$$\begin{aligned} & \alpha 1 \cdot Gcyl(n+1) + \alpha 2 \cdot Gcyl(n) + \beta 1 \cdot \theta msi(n) + \beta 2 \cdot \theta msi(n-1) \\ & + \dots + \beta d-1 \cdot \theta msi(n-d+2) + \gamma 1 - Gcyl_cmd(n+d) \\ & + Ss \cdot Gcyl(n+d-1) - Ss \cdot Gcyl_cmd(n+d-1) \\ & = Gcyl(n+d-1) - Gcyl_cmd(n+d-1) \\ & + Ss \cdot Gcyl(n+d-2) - Ss \cdot Gcyl_cmd(n+d-2) \quad \dots\dots (24) \end{aligned}$$

$$\begin{aligned} \theta msi(n) = \frac{1}{\beta 1} \{ & Gcyl(n+d-1) + Ss \cdot Gcyl(n+d-2) \\ & - \alpha 1 \cdot Gcyl(n+1) - \alpha 2 \cdot Gcyl(n) \\ & - \beta 2 \cdot \theta msi(n-1) - \dots - \beta d-1 \cdot \theta msi(n-d+2) - \gamma 1 \\ & + Gcyl_cmd(n+d) + (Ss-1) \cdot Gcyl_cmd(n+d-1) \\ & - Ss \cdot Gcyl_cmd(n+d-2) \} \quad \dots\dots (25) \end{aligned}$$


F I G . 2 8



F I G . 2 9



F I G. 3 0



F I G . 3 1

$$\theta_{msi}(m) = a1' \cdot \theta_{msi}(m-1) + a2' \cdot \theta_{msi}(m-2) + b1' \cdot DUTY_{msi}(m-dx) \quad \dots (26)$$

$$A' = \begin{bmatrix} a1' & a2' \\ 1 & 0 \end{bmatrix} \quad \dots (27)$$

$$B' = \begin{bmatrix} b1' \\ 0 \end{bmatrix} \quad \dots (28)$$

$$\begin{aligned} Pre_ \theta_{msi}(m) &= \alpha1' \cdot \theta_{msi}(m) + \alpha2' \cdot \theta_{msi}(m-1) \\ &\quad + \beta1' \cdot DUTY_{msi}(m-1) + \beta2' \cdot DUTY_{msi}(m-2) \\ &\quad + \dots + \beta_{dx-1}' \cdot DUTY_{msi}(m-dx+1) + \gamma1' \\ &\doteq \theta_{msi}(m+dx-1) \quad \dots (29) \end{aligned}$$

$\alpha1'$: FIRST-ROW FIRST-COLUMN ELEMENT OF A'^{dx-1}
 $\alpha2'$: FIRST-ROW SECOND-COLUMN ELEMENT OF A'^{dx-1}
 $\beta j'$: FIRST-ROW ELEMENT OF $A'^{j'-1} B'$ ($j' = 0 \sim dx-1$)

F I G . 3 2

$$\theta s'(m) = \theta s'(m-1) + KPs'(m) \cdot ide'(m) \quad \dots (30)$$

$$KPs'(m) = \frac{Ps'(m) \cdot \zeta s'(m)}{1 + \zeta s'(m)^T \cdot Ps'(m) \cdot \zeta s'(m)} \quad \dots (31)$$

$$Ps'(m+1) = \frac{1}{\lambda 1'} \left[I' - \frac{\lambda 2' \cdot Ps'(m) \cdot \zeta s'(m) \cdot \zeta s'(m)^T}{\lambda 1' + \lambda 2' \cdot \zeta s'(m)^T \cdot Ps'(m) \cdot \zeta s'(m)} \right] Ps'(m) \quad \dots (32)$$

I' : UNIT MATRIX OF ORDER $dx+2$
 $\lambda 1', \lambda 2'$: WEIGHTING PARAMETER

$$\begin{aligned} ide'(m) &= Pre_ \theta msi(m-dx+1) - \theta msi(m) \\ &= \theta s'(m-1)^T \cdot \zeta s'(m) - \theta msi(m) \end{aligned} \quad \dots (33)$$

$$\theta s'(m)^T = [\alpha 1', \alpha 2', \beta 1', \beta 2', \dots, \beta dx-1', \gamma 1'] \quad \dots (34)$$

$$\begin{aligned} \zeta s'(m)^T &= [\theta msi(m-dx), \theta msi(m-dx-1), \\ &\quad DUTY_msi(m-dx), DUTY_msi(m-dx-1), \dots \\ &\quad \dots, DUTY_msi(m-2dx+2), 1] \end{aligned} \quad \dots (35)$$

F I G . 3 3

$$Es'(m) = \theta msi(m) - \theta msi_cmd(m) \quad \dots\dots (36)$$

$$\sigma s'(m) = Es'(m) + Ss' \cdot Es'(m-1) \quad \dots\dots (37)$$

$$-1 < Ss' < 0 \quad \dots\dots (38)$$


$$DUTY_msi(m) = Uspas'(m) = Ueq'(m) + Urch'(m) \quad \dots\dots (39)$$

$$\begin{aligned}
 Ueq'(m) = \frac{1}{\beta 1'} \{ & Pre_ \theta msi(m) + Ss' \cdot Pre_ \theta msi(m-1) \\
 & - \alpha 1' \cdot Pre_ \theta msi(m-dx+1) - \alpha 2' \cdot \theta msi(m) \\
 & - \beta 2' \cdot DUTY_msi(m-1) - \dots - \beta dx-1' \cdot DUTY_msi(m-dx+2) - \gamma 1' \\
 & + \theta msi_cmd(m+dx) + (Ss'-1) \cdot \theta msi_cmd(m+dx-1) \\
 & - Ss' \cdot \theta msi_cmd(m+dx-2) \} \quad \dots\dots (40)
 \end{aligned}$$


$$Urch'(n) = \frac{-F'}{\beta 1'} \cdot \sigma s'(m+dx-1) \quad \dots\dots (41)$$

F' : REACHING LAW GAIN (0 < F' < 2)

F I G . 3 4



F I G . 3 5



F I G . 3 6

$$\begin{aligned} Gth(k-d') = & \Phi\#1(k) \cdot Gcyl_OS\#1(k) + \Phi\#2(k) \cdot Gcyl_OS\#2(k) \\ & + \Phi\#3(k) \cdot Gcyl_OS\#3(k) + \Phi\#4(k) \cdot Gcyl_OS\#4(k) \\ & \dots\dots (42) \end{aligned}$$

$$\begin{aligned} Gth_est(k) = & \Phi\#1(k) \cdot Gcyl_OS\#1(k) + \Phi\#2(k) \cdot Gcyl_OS\#2(k) \\ & + \Phi\#3(k) \cdot Gcyl_OS\#3(k) + \Phi\#4(k) \cdot Gcyl_OS\#4(k) \\ & \dots\dots (43) \end{aligned}$$

$$\phi(k) = \phi(k-1) + KR(k) \cdot ide'(k) \quad \dots\dots (44)$$

$$KR(k) = \frac{R(k) \cdot \zeta'(k)}{1 + \zeta'(k)^T \cdot R(k) \cdot \zeta'(k)} \quad \dots\dots (45)$$

$$ide'(k) = Gth(k-d') - Gth_est(k) \quad \dots\dots (46)$$

$$Gth_est(k) = \phi(k-1)^T \zeta'(k) \quad \dots\dots (47)$$


$$R(k+1) = \frac{1}{\lambda 1''} \left[I - \frac{\lambda 2'' \cdot R(k) \cdot \zeta'(k) \cdot \zeta'(k)^T}{\lambda 1'' + \lambda 2'' \cdot \zeta'(k)^T \cdot R(k) \cdot \zeta'(k)} \right] R(k) \quad \dots\dots (48)$$

I: UNIT MATRIX
 $\lambda 1''$, $\lambda 2''$: WEIGHTING PARAMETER


$$\phi(k)^T = [\Phi\#1(k), \Phi\#2(k), \Phi\#3(k), \Phi\#4(k)] \quad \dots\dots (49)$$

$$\begin{aligned} \zeta'(k)^T = & [Gcyl_OS\#1(k), Gcyl_OS\#2(k), Gcyl_OS\#3(k), Gcyl_OS\#4(k)] \\ & \dots\dots (50) \end{aligned}$$

F I G . 3 7



F I G . 3 8



F I G. 3 9

$$E\Phi\#i(k) = \Phi\#i(k) - \Phi\#1(k) \quad \dots\dots (51)$$

$$(i = 2 \sim 4)$$


$$\sigma'(k) = E\Phi\#i(k) + S'E\Phi\#i(k-1) \quad \dots\dots (52)$$

$$\theta_{ss\#i_cmd}(k) = -Fs' \cdot \sigma'(k) - Gs' \cdot \sum_{j=0}^k \sigma'(j) - Hs' \cdot E\Phi\#i(k) \quad \dots\dots (53)$$


Fs', Gs', Hs' : FEEDBACK GAIN

S' : SWITCHING FUNCTION-SETTING PARAMETER ($-1 < S' < 1$)

F I G. 4 0



F I G . 4 1




F I G . 4 2

$$\theta_{mse_cmd}(n) = \theta_{mse_ast}(n) + d\theta_{mse}(n) \quad \dots\dots (54)$$


$$d\theta_{mse}(n) = -K_{astr} \cdot \sigma_{ast}(n) + \left[-K_{asta} \cdot \sum_{i=0}^n \sigma_{ast}(i) \right] \quad \dots\dots (55)$$

$$\sigma_{ast}(n) = NE(n) - NE_cmd(n) + S_{ast} \cdot [NE(n-1) - NE_cmd(n-1)] \quad \dots\dots (56)$$


F I G . 4 3




F I G . 4 4




F I G . 4 5




F I G . 4 6



F I G . 4 7



F I G . 4 8



F I G . 4 9







FIG. 50




F I G . 5 1




F I G . 5 2




F I G. 5 3




F I G . 5 4



F I G . 5 5



F I G . 5 6



F I G . 5 7







FIG. 58



F I G . 5 9



F I G . 6 0



F I G . 6 1







FIG. 62




F I G. 6 3




F I G. 6 4




F I G. 6 5




F I G . 6 6



F I G. 6 7



F I G. 6 8



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.